

Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2024

Mulshi

2019

Unique Application Number

MPCB-ENVIRONMENT STATEMENT-0000071944

Submitted Date

25-09-2024

PART A

Company Information

Company Name

Application UAN number

M/s Shree Siddhivinayak Developers & MPCB-CONSENT-0000139544 Ecostar Goel Properties LLP

Address

S. No. 59(P) & 60/3, Tathawade

Plot no

S. No. 59(P) & 60/3

Capital Investment (In lakhs)

8664

Pincode 411057

Telephone Number

8484833357

Region SRO-Pune I

Last Environmental statement submitted online

yes

Consent Valid Upto

2023-11-30

Industry Category Primary (STC Code) & Secondary (STC Code)

By Product Name

0

Actual Quantity

UOM

Taluka Village Tathawade

Scale City MSI Pune

Person Name Designation Archana Lnkhande Project Co-Ordinator

Fax Number Email

projectcoordinator@goelganga.in

Industry Category Industry Type

Orange 021 Building and construction project more than 20,000 sq. m built up area

Consent Number Consent Issue Date

2022-12-16 Format1.0/JD (WPC)/UAN No.0000139544/CO/2212001240

Date of last environment statement Establishment Year

submitted

Oct 3 2023 12:00:00:000AM

Product Information Product Name UOM Consent Quantity **Actual Quantity** n 0 NA CMD

By-product information Consent Quantity

NA. CMD

Part-B (Water & Raw Material Consumption)

Pollution discharged to environment/un [A] Water	it of output (Parameter	as specified in the cons	sent issued)	
Part-C				
Diesel	27.4	25.0	Į.	.tr/Hr
Fuel Name			tual Quantity UO	
4) Fuel Consumption	F2 70 590	1673 D	2 (32) %	0000
NA .		0	0	CMI
		During the Previous financial Year	During the current Financial year	5-110
per unit of product) Name of Raw Materials		During the Carriana	During the assessed	uo
3) Raw Material Consumption (Consump	tion of raw material			
NA		0	0	CMI
Name of Products (Production)		During the Previous financial Year	Financial year	
2) Product Wise Process Water Consump process water per unit of product)	otion (cubic meter of			23. 1195-11.
Domestic Effluent	214	1.0	257.0	CMD
Trade Effluent	0		0	CMD
2) Effluent Generation in CMD / MLD Particulars	Co	nsent Quantity	Actual Quantity	иом
Total	237.00		198.00	
All others	0.00		0.00	
Domestic	237.00		198.00	
Cooling	0.00		0.00	
Process	0.00	ity in morady	0.00	uuy
I) Water Consumption in m3/day Water Consumption for	Consent Quan	tity in m3/day	Actual Quantity in m3/	day

discharged(Mg/Lit) Except

PH,Temp,Colour

Concentration

7.3

6.0

6.4

24.0

from prescribed

%variation

NA:

NA.

NA.

NA

standards with reasons

Standard Reason

NA

NA

NA.

5.5 to 9.0 NA

20.0

10.0

50.0

Pollutants

Quantity

0

STP-100 KLD-pH

STP-100 KLD-TSS

STP-100 KLD-BOD 0

STP-100 KLD-COD 0

discharged (kL/day)